SECTION 1 SCAFFOLDING LICENCE – 'DETAILS OF APPLICATION'

<u>APPLICATION FOR A LICENCE TO ERECT A SCAFFOLDING STRUCTURE ON THE HIGHWAY (HIGHWAYS ACT 1980 - SECTION 169)</u>

This application is for a licence to occupy the public highway. The Applicant will be responsible for ensuring that the scaffold design, construction and maintenance of the scaffolding is in compliance with BS EN 12810/12811 or NASC guidance TG20:08 and that the scaffold is erected, altered and dismantled in accordance with the Work at Height Regulations 2005 by suitably competent persons. A licence to erect or retain a scaffold or other structure will only be issued to the Company responsible for the management and use of the scaffolding whilst it remains in situ.

Any scaffolding or hoarding which encroaches on or projects over the highway requires a licence. The Highways Act 1980 allows Darlington Borough Council "the Council" to permit people or companies to place scaffolding or hoardings on a public highway. This procedure sets out the Councils approach to issuing such permissions.

Where it has been identified that scaffolding is required on the highway an application must be made to the Licensing Section, Town Hall, Block D, Darlington, DL1 5QT.

The application must be received by the Licensing Section 5 working days before the scaffolding is required in order to allow for inspection and consultation with relevant agencies. In emergency situations, the Applicant is required to contact the Local Authority by telephone for permission to erect emergency works.

Each application must be accompanied by the following:

- A plan/drawing of the location of the proposed scaffolding, (including photograph of the location as this helps the responsible authorities to make quicker decisions)
- Method Statement
- A certificate of public liability insurance which must be valid for the full period of the scaffold permit (minimum £5 million)
- Certificates of competency
- The current application fee £60 (sorry we no longer invoice for these applications)

It is the responsibility of the Applicant and/or the Scaffold Contractor to ensure they have prepared an adequate method statement and public risk assessment to ensure safe working practices and the safety of the public at all times when erecting and dismantling the scaffolding and for the duration that the scaffolding is erected; the personnel erecting/dismantling the scaffolding must be competent to do so and should hold a certificate of competency under the Construction Industry Record Scheme stating the registration number and expiry date.

Where the application form has not been completed correctly or information has been omitted, the form will be returned to the applicant.

IMPORTANT NOTE TO APPLICANT:

To ensure that the licence is issued to the Applicant with the least possible delay; please answer all of the questions on the following pages and ensure that all other information required is provided with the licence application. The Local Authority will only consider issuing a licence if all of the questions are answered and information provided. Useful guidance/drawings to assist with the completion of this application can be found in section 2 ('Scaffold Guidance Notes) of this document. All licence applications for scaffolding structures must comply fully with these standard conditions/drawings.

When a complete application has been received, the Licensing Section will consult with Building Control and other sections of the Council, who may carry out an inspection and liaise with the applicant in order to decide whether to grant permission.

At any time after the issue of a licence the Council may inspect the scaffolding to ensure the conditions of the licence are being complied with. Where licence conditions are not being complied with the Council may take formal action.

(PLEASE USE BLOCK LETTERS WHEN COMPLETING THIS APPLICATION) FOR AUTHORITY USE ONLY (THIS BOX) **Details of Applicant** Confirm receipt of the following written information where Company Name: applicable (refer to details and appendages provided by the applicant on page 2 where necessary). no n/a item yes Contact Name: Current employers liability and public liability insurance documents submitted? (applicant) Current employers liability and public Company Address: liability insurance documents submitted? (scaffolder) Scaffold Plan submitted? (to include detailed site layout drawing) Scaffold design drawing submitted?(if applicable) Traffic management plan approved? (if Telephone (office hours): applicable) Copy of regulated scaffolding Emergency Telephone (outside office hours): association membership certificate or alternative 'competence' documents Email Address: Hoarding Details ?(if applicable) Site meeting – has a site meeting taken Fax No: place? Enter ✓ as appropriate. All sections above must be answered by person processing application **Details of Scaffolding Contractor** Licence Issued By: (signed) Company Name: Print Name: Date: Contact Name: Company Address: Telephone (office hours): Emergency Telephone (outside office hours): **Email Address:** Fax No: Are you a member of a regulated No scaffolding association, such as

the NASC. Please supply supporting documentation

If no, please supply supporting documentation to

verify your competence.

| | e Location please (| call Melanie Emmerso | <mark>n on 01325 406642</mark> | |
|--|--|---|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| State the peri | od for which the l | licence is required: | | |
| FROM: | 1 1 | | UNTIL <u>:</u> / | <i>/</i> . |
| | - | | <u></u> | |
| | | aced in or near to the veen the hours of 6 p | town centre, the erection n to 8 am. | or dismantling of the |
| | | | E SUBMITTED BY THE | |
| . What type of sc c | aπolding structure | will be constructed (e. | g. independent, gantry, acc | ess tower, structural scaffo |
| | | | | |
| | | | | |
| | | dia to be | | a standard of material stan |
| nd has the use be | een taken into acco | aing to be used (e.g. no | | g, storage of material etc? |
| nd has the use be | een taken into acco | ount when designing the | e scaffold | ight (in metres). For |
| nd has the use be Please give base | een taken into acco | roposed scaffolding strensure details are prov | e scaffold ucture - length x width x he | ight (in metres). For ring. |
| Please give bas plications with m | se dimensions of productions of prod | roposed scaffolding strensure details are provm wide x | ucture - length x width x he ided on the site layout drawm high (or) tick boton to prevent material or tools caffold (answer yes or no be | ight (in metres). For ving. It is it multiple elevations to the highware. |
| Please give bas plications with m | se dimensions of productions of prod | roposed scaffolding strensure details are provemental models. m wide x | ucture - length x width x he ided on the site layout drawm high (or) tick boton to prevent material or tools caffold (answer yes or no be | ight (in metres). For ving. It is it multiple elevations to the highwa |
| Please give bas plications with multiple scaffolding disaster than the scaffolding disaster than | se dimensions of productions of prod | roposed scaffolding strensure details are provening m wide x | ucture - length x width x he ided on the site layout drawm high (or) tick boton to prevent material or tools caffold (answer yes or no be | ight (in metres). For ving. It is it multiple elevations to the highway |
| Please give base oplications with mean the scaffolding and has this been on the stipulate. | se dimensions of productions of prod | roposed scaffolding strensure details are provening m wide x | ucture - length x width x he ided on the site layout drawm high (or) tick bot to prevent material or tools affold (answer yes or no be mantling of the scaffold. | ight (in metres). For ving. It is it multiple elevations to the highwa |

| II. Will carry the be of the solution of the s | as site meeting taken place between the Applicant and the nominated affolding Contractor? Ill the scaffolding structure be closer than 450mm to the edge of rriageway? (If the answer is 'yes' then a site meeting is required between a Applicant and Local Authority representative). The agreed solution to detailed in the traffic management plan. Ill there be a minimum width of 1.2m of <u>UNOBSTRUCTED</u> footway for destrian access maintained alongside or through the scaffold? Please ow the location of the 1.2m unobstructed footway on the plan. For erestricted sites <u>MAY</u> be licensed, but will require a site meeting fore a licence is issued (If answer is 'no' a site meeting is required atween the Applicant and a Local Authority representative). The agreed lution to be detailed in the traffic management plan produced by the plicant/scaffold contractor. Ill the scaffolding structure obstruct or obscure any of the following: traffic gnal, traffic signal controller, bus stop, pedestrian or controlled crossing, nection sight line, road lighting column, and traffic sign, parking bay, aiting restriction sign, highway drainage gulley or any other ironwork in a highway or other street furniture? (If answer is 'yes' a site meeting is quired between the Applicant and Local Authority representative). The reed solution to be detailed in the traffic management plan produced by a applicant/scaffold contractor. | | | |
|--|--|-----|----------|-----|
| III. Will ped sho Mor before between solutions app. IV. Will sign junct wait the request agree the V. Will disr between solutions app. VI. Will and con VII. Have | rriageway? (If the answer is 'yes' then a site meeting is required between a Applicant and Local Authority representative). The agreed solution to a detailed in the traffic management plan. Ill there be a minimum width of 1.2m of <u>UNOBSTRUCTED</u> footway for idestrian access maintained alongside or through the scaffold? Please ow the location of the 1.2m unobstructed footway on the plan. One restricted sites <u>MAY</u> be licensed, but will require a site meeting if ore a licence is issued (If answer is 'no' a site meeting is required attween the Applicant and a Local Authority representative). The agreed lution to be detailed in the traffic management plan produced by the inplicant/scaffold contractor. Ill the scaffolding structure obstruct or obscure any of the following: traffic gnal, traffic signal controller, bus stop, pedestrian or controlled crossing, inction sight line, road lighting column, and traffic sign, parking bay, ariting restriction sign, highway drainage gulley or any other ironwork in the highway or other street furniture? (If answer is 'yes' a site meeting is equired between the Applicant and Local Authority representative). The ironed solution to be detailed in the traffic management plan produced by the applicant/scaffold contractor. | | | |
| IV. Will sign the requagre the V. Will app | destrian access maintained alongside or through the scaffold? Please ow the location of the 1.2m unobstructed footway on the plan. Or restricted sites MAY be licensed, but will require a site meeting a site meeting a licence is issued (If answer is 'no' a site meeting is required at the street and a Local Authority representative). The agreed alution to be detailed in the traffic management plan produced by the applicant/scaffold contractor. If the scaffolding structure obstruct or obscure any of the following: traffic anal, traffic signal controller, bus stop, pedestrian or controlled crossing, and traffic signal controller, bus stop, pedestrian or controlled crossing, and traffic signal tine, road lighting column, and traffic sign, parking bay, alting restriction sign, highway drainage gulley or any other ironwork in the highway or other street furniture? (If answer is 'yes' a site meeting is a quired between the Applicant and Local Authority representative). The reed solution to be detailed in the traffic management plan produced by applicant/scaffold contractor. | | | |
| vaii the requagre the V. Will disr between solution app VI. Will and con VII. Have | gnal, traffic signal controller, bus stop, pedestrian or controlled crossing, nction sight line, road lighting column, and traffic sign, parking bay, siting restriction sign, highway drainage gulley or any other ironwork in a highway or other street furniture? (If answer is 'yes' a site meeting is quired between the Applicant and Local Authority representative). The reed solution to be detailed in the traffic management plan produced by a applicant/scaffold contractor. | | | |
| VII. Hav | ill any part of the highway require full/partial alcours during areation or | | | |
| and con | ill any part of the highway require full/partial closure during erection or smantling operations? (If answer is 'yes' a site meeting is required tween the Applicant and Local Authority representative). The agreed lution to be detailed in the traffic management plan produced by the plicant/scaffold contractor. | | | |
| vII. Hav | | YES | NO | N/A |
| | ill a public protection fan and/or gantry be installed whilst the erection d dismantling of the scaffolding takes place? (refer to standard nditions for requirements/guidance) | | | |
| ans | ave existing foundations been surveyed to ensure they are adequate to rry the additional leg loads imposed by the scaffolding structure? If swer is 'no', what additional measures are intended? (Give details in affold plan). | | | |
| stru | an an adequate amount of scaffold ties be installed for the type of ructure being constructed? (if answer is 'no', a scaffold design will be quired) | | | |
| mee requ | ill hoarding be attached to the scaffolding? If the answer is 'yes' a site | | | |
| X. Wh | eeting and scaffold design will be required. (There may also be the quirement for an additional hoarding permit). Details to be included in the iffic management plan. | | <u> </u> | 1 |

If the licensee objects to any of the following conditions of the licence, the licensee may appeal to a Magistrates' Court within 21 days of the date of receipt of the licence.

The licensee is reminded that it is their responsibility to ensure that the scaffolding or other structure, is erected by competent persons, is structurally sound, is properly erected to current standards and maintained, and that adequate provision is made for the safe passage of highway users.

Work may not commence until the date specified on the licence and should be carried out within any specific limitations of time and date.

Time Extensions

When submitting an application, if that application extends beyond the currency of the Public Liability insurance certificate, the licence will be issued up to the end date of the public liability certificate. A new certificate will need to be submitted before an extension will be considered to maintain the scaffold on site. **You will not be reminded that your certificate is due for renewal.**

Emergency Situations

In emergency situations, the applicant must contact the Authority by telephone to request verbal consent to erect a scaffold to cover the emergency situation. The applicant shall make an application in writing for this scaffold as soon as practicable.

Confirmation by the Applicant that they acknowledge and accept the terms and conditions of the licence and have read and understood the Section 3 Guidance Note.

| PRINT NAME | |
|------------|-----------|
| | |
| SIGNATURE | |
| | |
| JOB TITLE | • • • • • |
| DATE | |
| JOB TITLE | |

SCAFFOLDING LICENCE SECTION 2

Terms and Conditions

Terms and Conditions contained in this licence to build, erect or maintain on or over a highway, a scaffolding or other structure which obstructs the highway (section 169 Highways Act: 1980)

Each scaffold licence will be subject to the following standard conditions although where necessary additional conditions may also apply.

- C1- Upon the issuing of the licence, the applicant will become the person to whom the licence is issued in terms of section 169 Highways Act 1980 and will be referred to in the licence as "the licensee".
- C2 The scaffold structure shall be designed, erected, modified and dismantled by suitably qualified and competent personnel. (Refer to notes Section 3, notes 1-12 inclusive and notes 20-26 inclusive) and be erected in accordance with all relevant regulations, codes of practice and British Standards.
- C3 The scaffold structure shall be adequately lit at all times between half an hour before sunset to half an hour after sunrise.
- C4 The licence holder shall ensure that all pedestrian walkways are satisfactorily maintained and will place an order with the council for permanent reinstatement of any highway damaged as a result of their operations.
- C5 Any provision for providing a safe route for pedestrians shall be in accordance with the current Safety at Street Works and Road Works Code of Practice. (Refer to Section 3, notes 17 18 inclusive and 19) and a substantial protected walkway shall be provided for members of the public which is highlighted, signed and adequately lit. It is essential that this safe route for pedestrians is maintained at all times, i.e. during the erection, use and dismantling of the scaffold. Any contractors or persons working on or adjacent to the scaffold must be informed of this requirement to ensure compliance.
- C6 Traffic Management shall be in accordance with the current Safety at Street Works and Road Works Code of Practice and Chapter 8 of the Traffic Signs Manual (Refer to Section 3, notes 17 19 inclusive).
- C7 Erection of the scaffolding structure must not commence prior to the date specified on the licence and must be dismantled and removed from site before the end of the specified period. The Local Authority may in certain circumstances, agree to the extension of the licence period. This may attract a further fee.
- C8 The licensee must implement any measures that the Local Authority or undertaker (under the meaning of Section 48 of the New Roads and Street Works Act: 1991) reasonably requests for the purpose of protecting or giving access to any apparatus belonging to or used or maintained by them. (Refer to Section 3, notes 29 30) and the granting of this licence does not authorise any interference with or obstruction of access to the apparatus of the public utility undertakers and the emergency services. Access to such apparatus shall be maintained at all times.
- C9 The licensee is responsible for contacting undertakers (under the meaning of Section 48 of the New Roads and Street Works Act: 1991) to establish whether or not their apparatus may be affected by the scaffolding structure.
- C10 The Local Authority shall have the right to revoke the licence at any time. (Refer to notes Section 3, notes 24 28)
- C11 The licensee shall indemnify and keep indemnified the Local Authority against any claim in respect to injury damage or loss arising out of:
 - placing or presence in the highway of the scaffolding structure and works associated with the licence; or
 - the execution by any person of any of works associated with the licence.
- C12 Scaffold in or near to the Town Centre can only be erected or dismantled between the hours of 6pm to 8am, unless additional precautionary measures to protect the public are agreed with the Local Authority Building Control and Highways.